

PATENT
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: HaemoSys GmbH

Serial No. 10/014,389

Filed: October 22, 2001

For: PROCESS FOR THE
DIAGNOSIS OF DISEASES,
PATHOLOGICAL STATES
AND
PATHOPHYSIOLOGICAL
AS WELL AS
PHYSIOLOGICAL
MEASUREMENT UNITS

Group Art Unit:

Docket No. VOS0003/US



Box Missing Parts
Commissioner for Patents
Washington, D.C. 20231

I CERTIFY THAT ON TUESDAY, FEBRUARY 13, 2002, THIS PAPER IS
BEING DEPOSITED WITH THE U.S. POSTAL SERVICE AS FIRST CLASS
MAIL IN AN ENVELOPE ADDRESSED TO THE COMMISSIONER FOR
PATENTS, WASHINGTON, D.C. 20231.

Jamie A. Ebach
JAMIE A. EBACH

TRANSMITTAL LETTER

Dear Sir:

Enclosed please find the following documents in response to the Notice to File
Corrected Application Papers mailed on January 15, 2001 in connection with the above-
referenced patent application:

1. Notice to File Corrected Application Papers (PART 2 – Copy to be returned with response)(1 pg);
2. Drawings: Figures 1, 2 and 3 with appropriate and complying margins as set forth in 37 CFR 1.84(g) (3 pgs);
3. Postcard.

Should any other fee be required, the Commissioner is authorized to charge
Kagan Binder Deposit Account No. 50-1775 and thereafter notify us of the same.

Respectfully Submitted,

By:

Dale A. Bjorkman
Dale A. Bjorkman, #32,642
Kagan Binder, PLLC
Suite 200, Maple Island Building
221 Main Street North
Stillwater, MN 55082
Phone: 651-275-9811
Facsimile: 651-351-2954

Dated: February 13, 2002



COPY OF PAPERS
ORIGINALLY FILED

Page 1 of 1

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/014,389	10/22/2001	HaemoSys GmbH	VOS0003/US

CONFIRMATION NO. 1099

FORMALITIES LETTER



KAGAN BINDER, PLLC
Suite 200, Maple Island Building
221 Main Street North
Stillwater, MI 55082

Date Mailed: 01/15/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- o Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

C. 184

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE